




3 1761 05289043 1




Digitized by the Internet Archive
in 2008 with funding from
Microsoft Corporation

21

7

224^c

ILLUSTRATIONS
OF
BRITISH FUNGI.



et.
halloph.
C

ILLUSTRATIONS
OF
BRITISH FUNGI
(HYMENOMYCETES),

To serve as an Atlas to the "Handbook of British Fungi."

BY

M. C. COOKE, M.A., LL.D., A.L.S.,

President of the Quekett Microscopical Club, and of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine; and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists' Society; the Essex Field Club; the Birmingham Natural History Society; and other Societies.

VOL. IV.

London :

WILLIAMS AND NORSGATE, HENRIETTA STREET, W.C.

1884-1886.

137424
61116


QK


607

C67

V. 4








12 X 7

M.C.C.

AGARICUS SUBFLOCCOSUS (MULL. ARG.)
in the ground Mull. Arg. 1883









odour strong




M.C.C.

AGARICUS (HEBELOMA) CRUSTULINIFORMIS. Bull.
on the ground. Alresford, Hants. Sept. 1878.








viscid

10-12 X 6

AGRICOLA (MELIOWA) CRUSTULINUM L. (Derm.) ...
 in aqua ... a ...











M.J.B.

AGARICUS (HEBELOMA) LONGICAUDUS. Fr. n.
on the ground, s. e. cal. N. r. l. e. m. p. m. s. h. a. r.







viscid

10 X 5



H.G.B.

AGARICUS (HEBELOMA) LONGICAUDUS Fr. var. RADICATUS

americanus Berk. - *Harold* - *Can.* - Sept. 1873









12-13 X 5-7

Boudier.

AGARICUS (HERICIUM) TRUNCATUS Schaef.
 on the ground in woods, thickets, &c



odour rather mealy.

M.C.C.

AGARICUS (HEBELOMA) NIDIPES Fr. *Fr.*
on the ground, Treadl Wood, Watford Oct., 1883




viscid.

M.C.C.

AGARICUS (HEBELOMA) CAPNIOCEPHALUS B. & H.
omniq. p. l. c. (Miss B. & H.)









AGARICUS (HEBELOMA) ISCHNOSTYLUS C. S. L.
 under a grass under Alps Sherburne Sept. 1879










AGARICUS (*HEBELOMA*) MAGNIMAMMA. *Fries.*
- on naked soil. Sept. 1881.



AGARICUS (*HEBELOMA*) PETIGINOSUS. *Fries.*
amongst grass. Near Hereford. Oct. 1879.






T.H.

AGARICUS (FLAMMULA) GYMNOPODIUS. *Frac.*
on pine sawdust. *Munstead.* (T. House).









R.E.B.

AGARICUS (CLAVARIA) VINEOSUS Bail
on the ground. Eastern, 1983.









H.J.B.

AGARICUS (FLAMMULA) FLOCCIFER. Berk.
on lime stumps. Colleyweston.




W.G.S.

AGARICUS (FLAMMULA) DECATIENS. Smith
on charred logs. Export Forest.








pileus dry

W.G.S.

ACARICUS (FLAMMULA) CLITOPILUS. *Coker & Smith*,
amongst firs. *Stanchouse, Gloucester*. Nov. 1867.








AGARICUS (FLAMMULA) LENTUS. Fruct. Short stemmed form,
amongst fir leaves. Glavis. Nor. 1891.








AGARICUS (FLAMMULA) LENTUS. Fries. Long stemmed form.
on the ground. Glamis. Nor. 1881.






471

taste unpleasant



W.G.S.

AGARICUS (FLAMMULA) MIXTUS. Fries.
on stumps, and on the ground. Bowood, Wilts. Nov. 1870.







taste nauseous

AGARICUS (FLAMMULA) JUNCINUS.

Smith.


amongst dead rushes.

North Wootton.

Nov. 1870.











AGARICUS (FLAMMULA) GUMMOSUS, *Eries.*
on the ground *Cord Coch.* 1883










AGARICUS (FLAMMULA) SPUMOSUS. *Fries.*
on naked ground. Kew Gardens. Nov. 1880.










M.C.C.

AGARICUS (L. MMULI) CARBONARIUS, Fr.
 on charred ground, Kew Garden Dec. 1882







very viscid.

M.C.C.

AGARICUS (*FLAMMULA*) *FILIUS*. *Fries.*
on the ground. Haywood Forest. Oct. 1882.








viscid.



AGARICUS (FLAMMULA) FUCUS Bot. 3

on the ground, and stamps. Woerthing. No. 1882 (C.B.P.)






R.E.B.

AGARICUS (FLAMMULA) FUSUS. *Batsch, Variety.*
on the ground. Sibbertoft, Nov. 1883.





100 435


Flamm. astragalinus pl 435 has
been called in question, but
should be compared with
F. Sen. 17, f 2. Massee
compares this to Flamm. rubi-
scundula Rea but that re-
sult cannot be true, the latter
is the actual, the former
is a hybrid. See also yucca
usually have 2 stems, which
is usually hollow. Much
more likely to be Flamm.
lignosus if not F. astragalus
on account of not
being black."



AGARICUS (FLAMMULA) ASTRAGALINUS. *Fries.*
 on mossy *Pine* stumps. *Glanas* Oct. 1851.









AGARICUS DEAMMULUS
on stumps and trunks

AGARICUS DEAMMULUS
Ely, N. D.









AGARICUS (FLAMMULA) FLAVIDUS. *Fries.*
 or, stumps in the ground. *Chingford, 1882*







taste mild

AGARICUS (FLAMMULA) INAURATUS. *Smith.*
 on willows. North Wootton. Nov. 1870









AGARICUS. (FLAMMULA) CONISSANS. *Fries.*
on willow trunks. Sutton Park.










AGARICUS (FLAMMULA) INCUS. *Fr.*
 on fallen trees, and amongst ferns.










odour faint.

AGAPICUS FLAMMULA APICATUS FRIES.
on trunk. Cold, C. 1851.








hygrophanous.

7X4




G.H.

AGARICUS (FLAMMULA) HYBRIDUS.
on mossy stumps. Scarborough?

Fries.
1884.








M.C.C.

AGARICUS (FLAMMULA) SAPINEUS. *Fries*
 on dead sticks. Black Park, Longley. Sept. 1882.










AGARICUS *FLAMMEUS*, PICHNOS. *Fries.*
on fir stumps. Acad. 1882.










G.M.

AGARICUS (FLAMMULA) OCHROCHLORUS Fries.
on rotten wood. Scarboro.







viscid

10 x 6

AGARICUS (FLAMMULA)
amongst moss.

HELOMORPHUS. Fries.
Mossburnford.



AGARICUS (FLAMMULA) SCAMBUS. Fries.
on naked ground, and rotten wood. Penicuik, N.B.








AGARICUS (FLAMMULA, FILICEUS, Cooke.
on old tree ferns, in stone. *Hypogaeae* 1862.








H.G.B.

AGARICUS (*AUROCUBA*) CIDARIS. *Fries.*
on the ground. Rotherwas, Nov. 1872.










AGARICUS (NAUGGHTON) OCCUMIS Pres
amongst sandal, & Siddhanta 1883










AGARICUS (NAUCORIA) ANGUINEUS Fres.
on the ground in woods. *Forster's type.*








A



AGARICUS (NAUCORIA) CENTUNCULUS. *Fries.*
on rotten beech wood. *Epping.*

B




AGARICUS (NAUCORIA) CENTUNCULUS. *Fries.*
on bark of rotten beech wood. *Epping.*








A

*s. long*


AGARICUS (NAUCORIA) SEMIFLEXUS. *B & Br.*
on branches, and the ground.

B




AGARICUS (NAUCORIA) RIMULINCOLA. *Rabb.*
on twigs. *Ascot.* Oct. 1869.

C



M.C.C.

AGARICUS (NAUCORIA) RUBRICATUS. *B & Br.*
on branch. *Herf.* 1879.












10 X 5

M.C.C.

AGARICUS (NAUCORIA) ABSTRUSUS. *P. v. s.*
on leaf soil in wood. *Darwin, Kent.*







A



AGARICUS (NAUCORIA) INNOCUUS. *Lasch.*
in damp places.

B



AGARICUS (NAUCORIA) CERODES. *Fries.*
amongst grass. *Kew Gardens.* May, 1883.







M.C.C.

AGARICUS (NAUCORIA) MELINOIDES Bull.
amongst short grass. Loughton. Nov. 1881.




R.E.B.

AGARICUS (NAUCORIA) PUSIOLUS. Fries.
on the ground and amongst moss.









(A) *AGARICUS (NAUCORIA) NUCEUS*. Bolton.
 (B) *AGARICUS (NAUCORIA) GLANDIFORMIS*. Cooke.
 Teignmouth. Oct. 1867.










AGARICUS (NAUCORIA) BADIPIES. Fries.
in damp woods. Holm Lacey.




M.C.C.

AGARICUS (NAUCORIA) SCOLECINUS. Fries.
amongst dead leaves, &c. of alder.




stem shining, striate

AGARICUS (*NAUCORIA*) STRIÆPES. *Cooke.*
amongst grass on lawn. Kew Gardens. Nov. 5, 1881.







rather viscid

AGARICUS (NAUCORIA) SIDEROIDES. Bull.
on trunks and chips. Dorking.




AGARICUS (NAUCORIA) TRISCOPUS. Fries.
on old timber in a cellar. Killara. 1882.







A



AGARICUS (NAUCORIA) VERVACTI. *Fries.*
in fallow fields. Apethorpe


B



AGARICUS (NAUCORIA) TENAX. *Fries.*
Cord Cock. Oct., 1879.









M.C.C.

AGARICUS (NAUCORIA) PEDIADES. *Fries.*
in pastures. Chart. ed. 1883










slightly viscid

W.G.S.

AGARICUS (NAUCORIA) ARVALIS. Smith (not Fries).
amongst sand. Great Yarmouth. July 1871.












AGARICUS (NAUCORIA) SEMIORBICULARIS. Bull.
amongst short grass. Kew Gardens.




AGARICUS. (NAUCORIA) TABACINUS. Fries.
amongst short grass. Kew Gardens.








viscid

AGARICUS (NAUCORIA) MYOSOTIS. Fries. MAJOR.
 in peat mosses, on moors. Near Scarborough. Aug 1884.







hygrophanous

12X6

M.C.C.

AGARICUS (NAUCORIA) TEMULENTUS. *Fries.*
moist places in woods. Cowarne Court, Hereford. Sept. 1884.





W.G.S.

AGARICUS (NAUCORIA) LATISSIMUS. Cooke,
in a churchyard. *Ely.* Sept. 1870.







AGARICUS NAUCCORII, DETERMINED
amongst rabbits, &c. in the mountains of the Pyrenees.








veil appendiculate





var. DISPERSUS. P.

AGARICUS (NAUCK) SOBRIUS
on the ground, under ... Sept. 1900.










H.G.B.

AGARICUS (*NAUCORIA*) ERINACEUS. *Fries.*
on branches. *Castle Rising. April 1872.*



M.C.C.

AGARICUS (*NAUCORIA*) SIPARIUS. *Fries.*
on fern stems, twigs, &c. *Dareath Wood, Kent.*







A



AGARICUS (NAUCORIA) CONSPERSUS. Pers.
on sunny slopes. *Diamore.* Sept. 1884.


B




14

M.C.C.


AGARICUS (NAUCORIA) ESCHAROIDES. Fries
in moist woods. *Apethorpe.* Sept.







AGARICUS (NAUCORIA) CARPOPHILUS. Fr.
on beech mast, leaves, &c. Chingford.



M.C.C.

AGARICUS (NAUCORIA) GRAMINIS Fr.
on straw, grass, twigs, &c. Weybridge.







viscid

M.J.B.

AGARICUS (*ELITEOLUS*) RETICULATUS. Pers.
on old trunks.









AGARICUS (GALERA) LATERITIUS. *Fries.*
in grassy places. Near Bristol and Hereford. 1884.











AGARICUS (GALERA) TENER. Schæff.
 amongst grass in woods, &c. Epping Forest. 1884.







stem striate


10x6

M.C.C.

AGARICUS (GALERA) OVALIS. Fries.
on ground, near Lyndhurst Station, New Forest. Oct. 1883.







hygrophanous and atomate

M.C.C.

16X8


AGARICUS (GALERA) ANTIPUS. Lasch.
in gardens, and on dung.



after Bolton

AGARICUS (GALERA) CONFERTUS. Bolton.
in stores and greenhouses. Halifax.










M.C.C.

AGARICUS (*GALERA*) SPARTEUS. *Fries.*
amongst moss, &c. Haywood Forest.



M.C.C.

AGARICUS (*GALERA*) PYGMÆO-AFFINIS. *Fries.*
at base of trunks. Fordingbridge. 1882







stem minutely hispid.

12X6

M.J.B.

AGARICUS (GALERA)
amongst moss.


VITTÆFORMIS. Fries.
Sibbertoft.



10X5

M.C.C.

AGARICUS (GALERA) RUBIGINOSUS. Pers. MINOR.
amongst moss. Epping Forest. Oct. 1881.






10X6

A


B

M.C.C.

AGARICUS (GALERA) HYPNORUM. Fries.
amongst moss and sphagnum. Eppig.








AGARICUS (GALERA) MNIOPHILUS. *Lasch.*
amongst moss. *Epping.* Oct. 1884.



AGARICUS (GALERA) MINUTUS. *Qu. l. t.*
amongst moss. *Wrotham.* Oct. 1883.




A



AGARICUS (GALERA) RAVIDUS. *Fries.*
amongst chips.

B




AGARICUS (GALERA) MYCENOPSIS. *Fries.*
amongst mosses.







edge of gills serrulate

M.C.C.

AGARICUS (154424), CORDIARIS, (154425, 154426)
 (154427, 154428, 154429, 154430, 154431)





M.J.B.



10 X 6










M.C.C.

AGARICUS (TUBARIA) FURFURACEUS var. TRIGONOPHYLLUS.
amongst grass Chingford. Nov. 2, 1883.










10 X 4

M.C.C.

AGARICUS (TUBER) PALUDOSUS. Fr.
anom. spl. p. 111. Ké tou Comm.










AGARICUS (TUBEROSUS)
amongst sphagnum, in bogs.

STAGNINUS. F. C.
Epping Forest. 1875.








A



H.B.

AGARICUS (TUBARIA) EMBOLUS. *Fries.*
amongst grass. *Abergavenny.* Nov. 1871.

B




M.C.C.

AGARICUS (TUBARIA) AUTOCHTHONUS. *E. & Br.*
amongst grass, *Shobden.*








A




B



M.C.C.

AGARICUS (BIRA, CRIBULUS) F. v.
cruciatipes (Fr.) Berk. No. 1802







viscid when moist

M.C.C.

A


B

W.G.S.

AGARICUS (TUBARIA) INQUILINUS *Fr.*

(A) on sticks. Dried or (B) on tree. Color 1870.











AGARICUS (CREPIDOTUS) ALVEOLUS. *Lasch.*
on trunks. Alnwick. 1878.




M.C.C.

AGARICUS (CREPIDOTUS) CALOLEPIS. *Fries.*
on trunks of aspen. Autumn.







M.J.B.

AGARICUS (CREPIDOTUS) MOLLIS. Schæff.
on logs.





A

foreign specimens

AGARICUS (CREPIDOTUS) HAUSTELLARIS. Fr.
on poplar trunks.

B

X 3

M.J.B.

AGARICUS (CREPIDOTUS) RUBI. B. & Br.
on bramble.

C

5-7

W.P.


AGARICUS (CREPIDOTUS) PHILLIPSII. B. & Br.
on grass.

D


X 3

M.J.B.

AGARICUS (CREPIDOTUS) CHAMPHILUS. B. & Br.
on dead branches of shrubs.








M.J.B.


AGARICUS (GREPIDOTUS) EPIGÆUS. Pers.
on clay ground. Hothorpe. Nov. 1881.



AGARICUS (GREPIDOTUS) RALFSII. B. & Br.
on rotten wood. Penzance.




AGARICUS (GREPIDOTUS) EPIBRYUS. Fries.
on leaves, moss, &c.



Herb Berk

AGARICUS (GREPIDOTUS) PEZIZOIDES. Nees.
on rotten wood. Warrickshire.











W.G.S.

AGARICUS (PSALLIOTA) AUGUSTUS. Fries.
in an orchard. Staplehurst, Kent. Aug. 1869.










ATAGOLUS (STILITA) ELVENSI. Z. & W. Br.
Atagolus (Mouss.) Z. & W. Br.










AGARICUS (PALL.) ARVENSIS. Schaff.
in damp marshes, Northamptonshire.









AGARICUS (PSALLIOTA) ARVENSIS. Sp. Pl. 100. PUDICICENSIS.
on the ground. Dingle & Forest. Sp. Pl. 100.



pl 524

"*Passalis velutinus* Fr. 9
Linn. That pl 524 represents
the *Passalis velutinus* of Frie
whether that is a true *P.*
litta, I have no evidence



AGARICUS (PSALIDOTA) CRETACEUS. *Fries.*
in grassy places. King's Lynn. Feb. 1883.










AGARICUS (PSALIDOTA) PRATENSIS. Schaeff
amongst grass. Putborough, Sussex. Oct. 1871.







AGARICUS FRATELLI CAMPILSTRIS. Fr.
in parks and pasture. Everywhere








AGARICUS (PSALLIOTA), CAMPESTRIS. *Linn.* var. HORTENSIS.
cultivated variety.





Jul 529


"I think that pl 528.3. c
ed. I. campocristis exam
latter, being without a
ring, should go into
"rare"




AGARICUS (PSALLIOTA) CAMPESTRIS. Linn. (VARIETIES.)

A. Fenzance. B. Muttishall, Norfolk.










AGARICUS (PSA-LIOTA) CAMPESTRIS. *Linn. var. SYLVICOLA, Pitt.*
in woods. Bishop's Wood, Hampstead. Aug. 1865.








 $\frac{2}{3}$

AGARICUS (PSALLIOTA) CAMPESTRIS. *Lin. var. VILLATICUS. Bronn.*
on the ground. Northamptonshire.









AGARICUS (PSALLIOTA), SYLVATICUS. Schöff.

A. *Pleasure Grounds, Kew.* B. *Pulborough, Sussex.*










AGARICUS (PSITTACIA) MEX. REPENS (L.) Berk.
under trees. on Herbar. 1850







AGARICUS (GALLIOTIA) SUBRIBIDOSUS. Pr. (MAT. 777)
amongst grass. Portico della F. 1881. Sept. 1881.








M.C.C.

AGARICUS (PSALLIOTA) COMTULUS Fees
amongst grass K. J. Gordon Sept. 1882







AGARICUS (PILOSACE) ALGERIENSIS
on ground amongst ferns.

Scarboro?

Fries
Aug., 1885





Pl 550

" *Stropharia Percivalii* B & B
only be a form of *S. depilata* Fr, but it matters little
which name is used as
depilata is not otherwise
British.



AGARICUS (STROPHARIA) PERCEVALI. B. & Br.
on sand. Northumberland. Oct. 1878.








glutinous

AGARICUS ST. ... AEGIDIUM ST. ...
amongst dead leaves. Queen's College, Kew. Nov. 1880.









AGARICUS (STROPHARIA) ALBO-CYANEUS. *D. C.*

(A) *Hampstead*, Oct. 1863. (B) *Carle Place, H. C.*, Oct. 1883.

















AGARICUS (STROPHARIA) CORONILLUS Bull

(A) Coventry. Sept 1881. (B) Posen. Sept 1882.








AGARICUS (STROPHARIA) MELASPERMUS *Bolt*
 amongst grass. *Lyndhurst, Sept 1882*








M.C.C.

12-14 x 7

AGARICUS (STROPHARIA) SQUAMOSUS. *Exs.*
amongst chips, &c. Queen's Cottage, Kew. Oct. 1882.










AGARICUS (STROPHARIA) THRAUSTUS. K. (pl.)
in open places. Arboretum, Kew. Nov. 1880.








M.C.C.

AGARICUS STROMBILIFORMIS FAUSTUS ET ALBIVENTRIS.
 on the ground. — *Ann. Mag. Nat. Hist. Nat.* — Vol. 181.







M.C.C.


7X4½

W.G.S.

AGARICUS STROP A. L. WORTHINGTON! *Fl. ex.*
and a f. grass. H. gl. b. ch. Nov. 1885







glutinous


M.C.C.

AMANITA MUSCARIA (L.) FR. *Fr. on Sweden, 1847, 1850.*











8X5



M.C.C.




W.G.S.

AGARICUS (STROPHARIA) MERDARIUS Fr. ex.
on dung. Fordunghridge and Subbictoft 1881










M.C.C.

20X10

AGARICUS (STROMBILUS) TERRESTRIS J. B. S. P.
Agaricus terrestris L. (Fr.) J. B. S. P. 1882











AGARICUS (STROPHARIA) SEMI-CLOBATILIS. Patsch.
 on duce. Chingford. Sept. 1882





pl 540

" There are many points
resemblance between St
Capit - Medusa pl 540
so called Hyphol.



AGARICUS (STROPHARIA) CAPUT-MEDUSÆ. Fries.
at the base of trunks. Glamis. Sept. 1883.











AGARICUS (STROPHARIA) JERDONI. B. & Br.
ex chips Mossburnford. Nov. 1860












AGARICUS (STROPHARIA) SPINTRIGER. Fries
on stumps. Loughlin. Sept. 1882.









AGARICUS (STROPHARIA) HYPSSIPUS.
on ground amongst moss. Forest Hill

Fries.
Oct., 1885.





taste bitter

8X4

AGARICUS (HYPHOLOMA) SUBLATERITIUS. Schaeff.
on stumps. Chingford. Nov. 1883.








bitter

AGARICUS (HYPHOLOMA) SUBLATERITIUS. Schaff. var. SCUAMOSUS.
on trunks. Tunnel Wood, Walford. Oct. 1883.







odour and taste mild

AGARICUS (*HYPHOLOMA*) CAPNOIDES. *Fries.*
on stumps. Arboretum, Kew. Nov. 1880.







olidus

7X4

W.G.S.

AGARICUS (HYPHOLEMA) EPIXANTHUS. *Fries*
on stumps, and fallen trees.





See pl 127 (A. Sadleri) Vol II, 18


very bitter


7X4

M.C.C.

AGARICUS (FRUIT) IN FASCICULARIS. *It. N. M.*
 on stumps. Epping Forest. Oct. 1880.







biller

AGARICUS (HYPHOLOMA) FASCICULARIS. *Frus.*, var. *ELÆODES*. *Bull.*
on stumps. *Stoke Pogis.*







AGARICUS (HYPHOLOMA) DISPERSUS. *Fries.*
on the ground Highbeeck. Nov, 1881.







glutinous

A

H.G.B.



AGARICUS (HYPHOLOMA) OEDIPUS. Cooke.
on rotten sticks. Clehanger. Feb., 1872.

B

M.C.C.



AGARICUS (HYPHOLOMA) PUNCTULATUS. Ketch.
on sawdust. Coed Coch. 1882.





pl 543

" Pl 503 is not Hyph. slo
but a ~~strain of H. velia~~
[see 582 pl 563] must
called at present Hyph
hypoxanthum P & P."



Ag. hypoxanthus. Plow.

AGARICUS (HYPHOLOMA) STOREA. Fries, var. CAESPITOSUS.
on beech stump. Lyndhurst, New Forest. Oct. 1883.





Pl 566

"Pl 566 is not *Hyph. l.*
symatundus but a form
of *H. velutinus*"




10-11X6

AGARICUS *cantharellus*, LACONIAEUS, Fries.
cantharellus *cantharellus*, Fries, *cantharellus*, 1883.











AGARICUS (HYPHOLOMA) VELUTINUS. *Fr.*
amongst grass. Neasden, Middlesex. Sept. 1882.










M.C.C.

Agaricus (Peziza) muscaria (L.) Fr.
Agaricus (Peziza) muscaria (L.) Fr.









gregarious

AGARICUS (HYPHOLMA) CASCUS. *Fries.*
in grassy places. Margate, etc








subsolitary

M.C.C.

AGARICUS *HYPOLOMAI* LANARIPES. Cooke
 on soil on cuscutores. *Hyphogale* 1892.




gregarious

M.C.C.

AGARICUS (HYPHOLOMA) CANDOLLEANUS Frös.
in grassy places. Neudon. Sept. 1882









caespitose

AGARICUS (*HYPHOLOMA*) *APPENDICULATUS*. Bull.
on buried stumps. Chingford. Oct. 1883.









carpitosa

H.C.C.

AGARICUS (HYPHOLOMA) LEUCOTEPHRUS B. & Br
 at base of stumps. Bathenston, Sept. 21, 1884.







A




AGARICUS (HYPHOLOMA) EGENULUS. B. & Br.
amongst grass. Apethorpe. Spring.


B



W.G.S.

AGARICUS (HYPHOLOMA) HYDROPHILUS. B. & Br.
at base of trunks. Near Dorset. Oct., 1816







AGARICUS (*PSILOCYBE*) SARCOCEPHALUS. *Fri.*
in woods. Leigh Wood, Bristol.



pc 620

The large form of *Psidium*
sarcocephalus, Sa-
candra calls *Ps. Cooke*
but without reason.
Fries I cones tab 135



AGARICUS (PSILOCYBE) SARCOCEPHALUS. Fr.
 at base of trunks. Crackley Wood, Kenilworth. Sept., 1885.










AGARICUS (PSILOCYBE) ERICÆUS. Pers.
in shady places. Birds' Common. Sept 1882.










M.C.C.

AGARICUS (PSILOCYBE) SUB-ERICÆUS Ellis
 on the ground Kew Gardens. June, 1852.








AGARICUS (PSILOZE) UDUS. *Psilocybe*
amongst Sphaerocarpi. Floating Forest. N. Y.










W.G.S.

10-17 X 8


AGARICUS (HYPHOLOMA) CANOFACENS Cooke,
on rotten straw. N. Y. Bot. Gard. 1887







W.G.S.

AMERICAN (POT) AREOLATUS K. Sch.
 mycelium, Mycelium, Pink, L. 1861











AGARICUS (PSILOCYBE) AGRARIUS. *Fries.*
on the ground. Shrewsbury. Aug., 1882.









M.C.C.

AGARICUS (BOLLEYSE) BOCHICOLA A. & B.
on sand etc.





A




7 X 3½

AGARICUS (PSILOCYBE) CHONDRODERMUS. B. & Br.
on pine wood. Glamis. 1874.



12 X 8


B




M.C.C.

AGARIC









A

AGARICUS (PSILOCYBE) COPROPHILUS. Bull.
on dung. Hampstead Heath.



B

M.J.B.


AGARICUS (PSILOCYBE) COPROPHILUS. Bull.
on dung. Hampstead Heath.







A




12 X 7½

AGARICUS (PSILOCYBE) PHYSALOIDES. Bull.
on swampy ground. Croydon.


B



AGARICUS (PSILOCYBE) PHYSALOIDES. Bull.
on swampy ground. Croydon.










AGARICUS (PSILO) ATRO-RUFUS. Schauff.
amongst rocks. Near Birmingham. Dec. 1881.



A



M.J.B.


AGARICUS (*PSILOCYBE*) *COMPTUS*. *Fries.*
in woods. *Collyweston.*

B




16 X 7

AGARICUS (*PSILOCYBE*) *HEBES*. *Fries.*
in beech woods. *Hothorp.*









poisonous

10-12 X 6

AGARICUS (PSILOCYBE) SEMI-LANCEATUS. *Fr.*
 amongst grass, in pastures, &c. *Heisterl.* Oct. 1876.





poisonous

M.C.C.

10-12X6

AGARICUS (PSILOMYCE) ? M-LANCEATUS Fries, var. CÆRULESCENS.
in pastures *Neighborhood of London.* *Sept' 1880.*






M.C.C.

Journal of Management Studies, 19(1), 67-80.









M.J.B.

AGARICUS (PSILOCYBE) CERNUUS. Fr. Dub.
amongst chips, de st le ves, &c. Koenig & Ciffre. 1853.











AGARICUS (*PSILOCYBE*) *Fœnigeci*. *F.*
amongst grass. *King's Cliffe.*







R.E.B.

AGARICUS POTTII? CONOPSEUS? Pers.
L. 1793, 8. 2. — *Rehder et al.* — N. 1, 1883.









M.J.B.


AGARICUS (PSATHYRA) MASTIGER. B. & Br.
on roadside amongst grass. Apethorpe. Sept., 1860.




M.J.B.

AGARICUS (PSATHYRA) GLAREOSUS Berk.
on gravelly soil. Sibbertoft.









AGARICUS (*PSILOCYBE*) CORRUGIS. *Fras.*
amongst letters, &c. Sclerotia, Sept. 1884.





AGARICUS (PSATHYRA) CORRUGIS. *Fr. var. VINOSUS.* Corda.
amongst grass. Kew Gardens. Sept., 1880.











R.E.B.


AGARICUS (PSILOCYBE) PELLOSPERMUS Bull.
in gardens. Wexhampton, Sept 1881.








AGARICUS UMBELLATUS: SHADY-GREEN-GRISEOUS
 on trunks, or on the ground. Northamptonshire.





6-7 X 4

AGARICUS (PSATHYRA) OBTUSATUS Fr.
 on oak trunks, or on the ground. K. s. Cl. p.



A



M.J.B.

B



W.P.

AGARICUS (PSATHYRA) BIFRONS. B. & Br.

A. Typical form. B. var. SEMINCTUS. Phillips.
amongst chips






AGARICUS (PSATHYRA) SEMI-VESTITUS. R. & Br.
on rubbish heaps. Kew Gardens. Oct. 1883.









M.J.B.

AGARICUS (PSATHYRA) FATUUS. Fries.
in gardens.

B




M.J.B.

AGARICUS (PSATHYRA) FIBRILLATUS. Fries.
in damp woods.










AGARICUS (PSATHYRA) HELOBIUS. Kuhn.
in moist pine woods. Col. Coch. Sept., 1881.





odour nauseous

A

M.J.B.


AGARICUS (*PSATHYRA*) GORDONI. Berk. & Br.
amongst chips.


B

C.B.

AGARICUS (*PSATHYRA*) PENINATUS. Frøs.
on scorched ground. Near Bristol.







A

10 X 6

R.E.B.

AGARICUS (PSATHYRA) GOSSYPINUS. Bull.
on the ground. King's Cliffe

B

12 X 5

AGARICUS (PSATHYRA) NOLI-TANGERE. Fr.
on the ground. SP. 112








R.E.B.

AGARICUS (PSATHYRA) MICRORHIZUS. Lasch.
in gardens, &c.



7 X 4

AGARICUS (PSATHYRA) URTICÆCOLA. B. & Br.
on roots of nettle. Kew's Cl. fl.





BIOMEDICAL MAR 13 1974

QK Cooke, Mordecai Cubitt
607 Illustrations of British
C67 Fungi
v.4

BioMed

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY

